
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.







Perennials r Rock Plants Flowering Shrubs r Evergreens

1927

GRAY & COLE

WARD HILL, MASSACHUSETTS

HARDY PLANTS FOR NEW ENGLAND GARDENS



To Our Customers

LOCATION. Our nursery is located in Haverhill, Mass., within five minutes' walk of Ward Hill station on the B. & M. R. R., on the main road from Haverhill to Boston. One of the electric lines between Haverhill and Lawrence passes our door. Our post office address, and also freight and express address, is Ward Hill, Mass.

VISITORS. We welcome visitors to the nursery at any time. Throughout the season, from April to October, there are some plants in bloom, and especially in Iris, Peony, Gladiolus, and Phlox times there is a brilliant display. When Peonies bloom we have a special exhibition of cut blooms indoors so that comparison and selection of varieties can be made conveniently.

SHIPPING SEASON. Although some plants can be moved successfully almost any time between spring and autumn, the normal planting and shipping season is from early April to early June, and September 1 to the middle of November. The spring planting season can be prolonged by using potted plants. German Iris can be shipped in July and August.

SHIPPING. All plants and bulbs are shipped by express, the purchaser paying the charges. Many small orders can be sent more economically by parcel post, and if the purchaser wishes his order shipped by parcel post he should add 10 per cent to the price of the plants.

Local orders within a 5-mile radius will be delivered by truck without charge. For longer distances, up to 30 miles, truck delivery is advisable for trees and shrubs, for which

a reasonable charge will be made.

PRICES. The prices quoted on herbaceous plants include packing. Five plants of the same variety will be sold at the 10 rate; 25 at the 100 rate.

TERMS. Our terms are cash with order, or satisfactory reference from unknown customers. All accounts are due the first of each month, unless by special arrangement.

GUARANTEE. It is our earnest endeavor to send out only good healthy plants which, if handled, planted, and cared for under favorable conditions will live and bloom, and we guarantee that they leave our hands in good condition, and are true to name. Our responsibility ends there, the transportation and future life of the plants being entirely the risk of the purchaser. Failure may occur from many causes over which the nurseryman has no control—unsuitable location, poor soil, unfavorable weather, lack of moisture ignorant or careless culture. In case of any mistakes on our part, we shall, if promptly notified, be glad to correct them.

GRAY & COLE

WARD HILL, MASS.



Hardy Perennials

WE SPECIALIZE in Hardy Perennials, particularly Peonies, Irises, and Phloxes. Except a few indispensable biennials like Campanula medium and Digitalis purpurea, our list is confined to the choicest and hardiest herbaceous perennials which are best to use as the basis for New England hardy borders and rock-gardens. Many old-fashioned plants are included which have been cultivated in New England gardens since colonial times, and many perennial varieties are omitted because of doubtful hardiness,

poor habit of growth, or scantiness of bloom. A few are included which, though short-lived, are beautiful enough to warrant occasional replacing. We have in the nursery other varieties besides those listed here.

In addition to the plants listed here, we can supply in the fall the best varieties of hardy bulbs—Tulips, Narcissus, Crocus, Muscari, etc., which are indispensable to perennial gardens.

The plants that we furnish are vigorous, field-grown, at least one year old, except in a few varieties which are more successfully handled in pots. Extra-large clumps can sometimes be supplied at double price.

All varieties not priced differently are 25 cts. each, \$2 for 10, \$16 per 100

ACONITUM napellus, Sparks. Sparks' Aconite. 3 ft. June, July. Very dark blue, hood-shaped flowers in a loose raceme. Will grow in part shade. 35 cts. each, \$3 for 10.

ALTHÆA rosea. Hollyhock. 5 to 8 ft. July. Stately old-fashioned flower, very effective in clumps. Biennial in habit though some plants may bloom several years. The single flowers are considered more artistic.

Single Mixed.
Double Mixed.



Aquilegia chrysantha



Hardy Aster

ALYSSUM saxatile compactum. Dwarf Goldentuft. I ft. May. Broad mass of bright yellow flowers with gray foliage.
-luteum. I ft. May. New variety of the

above with pale yellow flowers. 30 cts.

each, \$2.50 for 10.

AQUILEGIA chrysantha. Golden Columbine. 2 ft. June, July. The golden yellow, long-spurred flowers remain in bloom a long time and are airy and graceful in the garden as well as for cut-flowers. One of the easiest perennials to grow, thriving either in full sun or half shade.

Munstead White. 2 ft. June. Short-spurred white flowers. Profuse bloomer.

Good foliage. Single Mixed. All colors.

ARABIS alpina. Alpine Rockcress. 6 to 12 in. May. Dense carpet of white flowers. Effective as background for early tulips and useful for cutting.

-flore-pleno. Double Alpine Rockcress. A new variety of the above, with double flowers. 40 cts. each, \$3.50 per 10.

ARENARIA montana. Mountain Sandwort. 6 in. June. Prostrate. Small, dark foliage and profusion of large white blossoms.

ARTEMISIA vulgaris lactiflora. White Mugwort. 3½ to 4½ ft. August, September. Loose panicles of hawthorn-scented, white flowers on erect stems. Effective with Salvia azurea.

ASTER, HARDY. September, October. Improved forms of our native fall-blooming Asters, with larger flowers and purer colors. Very free-blooming and showy for landscape use or cutting.

Climax. 4 to 5 ft. Lavender-blue flowers. Lil Fardell. 4 ft. Bright purplish pink. St. Egwin. 3 ft. Soft rose-pink.

ASTILBE, Hybrid. 2 to 3 ft. June, July. Feathery spikes of bloom, attractive in the garden and good for cutting. Likes rich, heavy soil, and will grow in part shade.

Gloria. Deep pink. 50 cts. each, \$4 for 10. Gruno. Pale pink; more open spike than Salmon Queen. 50 cts. each, \$4 for 10.

Kriemhilde. Very pale salmon-pink .50 cts. each, \$4 for 10.

Salmon Queen. Pale salmon-pink, a little deeper than Kriemhilde. 50 cts. each, \$4 for 10.

AUBRIETIA deltoidea. 5 in. May. Silvery green foliage and sheets of flowers in purple, mauve, and rose. Plant with Alyssum and Arabis for edging the border, or in the rock garden.

BAPTISIA australis. Blue Wild-Indigo. 2ft. June. Dark blue pea-shaped flowers and good foliage. A very permanent plant. Use with Hemerocallis flava.

BOLTONIA asteroides. White Boltonia. 5 to 7 ft. September. White aster-like flowers. Very tall coarse growth suitable for background planting.

latisquama. Pink Boltonia. 4 to 6 ft. September. Lavender-pink. Very lovely in mass. Not so tall or coarse as the

white variety.



Arabis alpina

CAMPANULA carpatica. Carpathian Bellflower. 6 to 12 in. June, July. Blue flowers an inch across. Charming plant for rock work or edging, giving us a few blooms all summer.

Canterbury Bells. 2 to 3 ft. June, July. Very handsome, large, bell-shaped flowers. Biennials which must be replaced each season.

-Single Dark Blue.

-Single Light Blue.

Single Pink.

-Single Mixed.

—calycanthema. Cup-and-saucer Bell-flower. 2 to 3 ft. Semi-double flowers, each resembling a cup and saucer. Biennial. Mixed colors.

persicifolia. Peachleaf Bellflower. 2 to 3 ft. June, July. Large, blue, saucer-shaped flowers on tall spikes. Effective with Phlox Miss Lingard.

stundifolia. Harebell; Blue Bells of Scotland. 1½ ft. June to September. Native plant with graceful blue flowers rotundifolia. over long period, and fine foliage. Will grow in part shade.

CERASTIUM tomentosum. Snow-in-Summer. 6 in. June. Carpet of white flowers and silvery foliage. Beautiful when grown in combination with Linum perenne.



Delphinium, Gold Medal Hybrids



Campanula medium

CHRYSANTHEMUM, HARDY. 2 to 4 ft. October, November. The flowers of various colors come after other blossoms have gone and in some seasons are spoiled by early hard frosts. Planting near a building, wall, or hedge will protect them or they may be covered with paper or burlap when severe frosts are expected.

Early Bronze. Bronze-yellow. Early. Golden Firebrand. Yellow. Very early. Lillian Doty. Light pink. Red Doty. Wine-red. White Doty. White.

COREOPSIS lanceolata. Lance Coreopsis. 2 to 3 ft. Golden yellow flowers all summer on long stems that are fine for cutting. Not long-lived, but self-sows freely.

DELPHINIUM. Larkspur. July. One of the most beautiful hardy plants, and indispensable for its shades of blue. Sometimes gives a second crop of bloom in late summer. Lovely for cutting. Combines with Phlox Miss Lingard, Lilium candidum, Thermopsis, Hemerocallis flava, or white Japanese Iris.

Belladonna. 3 ft. Light sky-blue. Not quite so tall as the hybrids but very free blooming. Use with Phlox Elizabeth Campbell.

Gold Medal Hybrids. 3 to 5 ft. All shades of blue, some with pink sheen.

-Blackmore & Langdon's. A celebrated English strain. 35 cts. each, \$3 for 10.

grandiflorum chinense. Slender Larkspur. Dwarf variety with fine foliage and deep blue flowers. Charming with Aquilegia chrysantha.

DIANTHUS. Hardy Pink. I ft. May. Pink, clove-scented blossoms and glaucous foliage. Used for the edge of the border.

cæsius. Cheddar Pink. 6 in. May. Glaucous foliage and pink, spice-scented

blossoms.

barbatus. Sweet William. 1½ ft. July. Though plants will sometimes live several seasons, best treated as a biennial.

—Black-Maroon. Very dark.

-Newport Pink. Salmon-pink.

DICENTRA formosa. Western Bleeding-heart. I to 1½ ft. Small pink flowers and finely cut foliage. Blooms in May and a little through the summer. Flowers not so large or showy as Spectabilis, but foliage better and plant more permanent.

spectabilis. Bleedingheart. 2 ft. May, June. An old-fashioned favorite. Long, drooping racemes of heart-shaped pink

flowers. Will grow in part shade. Good for cutting, and usually in bloom Memorial Day. The plant is beautiful even after the flowers are gone. Plant in fall. 50 cts. each, \$4 for 10.

Digitalis purpurea



Dictamnus ruber

DICTAMNUS. Gasplant. 2 to 3 ft. June. A very long-lived plant with handsome dark green foliage. Fragrance similar to Lemon Verbena.

albus. White. 40 cts. each, \$3.50 for 10. albus ruber. Lavender-pink. 35 cts. ea., \$3 for 10. Large plants, 75 cts. each.

PIGITALIS purpurea, Giant Shirley. Foxglore. 3 to 5 ft. June, July. Stately racemes of inflated flowers whose vertical lines suggest spires or towers of bells. Biennials which easily self-sow. New and vigorous strain, of mixed colors from white to deep rose.

Sutton's Giant Primrose. A beautiful strain with flowers of rich cream or buff. 35 cts. each, \$3 for 10.

ECHINACEA purpurea. Purple Coneflower. 3 ft. August, September. Large, reddish purple, daisy-like flowers with brown center. Coarse and showy; most effective at a little distance. Harmonizes with Liatris and Phlox Widar.

FILIPENDULA rubra venusta. Carmine Meadowsweet. 4 to 5 ft. July. Deep rich carmine-pink flowers in soft, irregular masses like balls of pink cotton. Effective with Delphinium. Scarce variety. 30 cts. each, \$2.50 for 10.

ulmaria flore-pleno. Double European Meadowsweet. 1½ to 2 ft. June, July. Small, white, globular flowers and fernlike foliage. Graceful. 30 cts. each, \$2.50 for 10.



Gaillardia aristata

GAILLARDIA aristata. Blanket Flower. 2 ft. Showy flowers with reddish brown centers and yellow daisy-like petals with rings of red. Blooms all summer. Shortlived but easily self-sows. Useful for cutting.

GYPSOPHILA paniculata. Babysbreath. 2 to 3 ft. July. Minute white flowers in a gauze-like, misty mass. Valuable in the garden for contrast with coarser flowers, and indispensable for cutting to arrange in bouquets.

-flore-pleno. Double Babysbreath. Double form of the above, with the flowers a little more prominent. 50 cts. each, \$4 for 10.

HELENIUM autumnale. Sneezeweed.
5 to 6 ft. September. Golden Seiteld. daisy-like blossoms in masses. Suitable for back of borders. Good for cutting.

rubrum. Red Sneezeweed. 3 to 4 ft. September. Terra-cotta-red flowers an unusual color. Not so tall or vigor-ous as the yellow variety. Beautiful for cutting. 30 cts. each, \$2.50 for 10.

HEMEROCALLIS. Daylily. orange, very fragrant, lily-like flowers and tall grass-like foliage. Will thrive in part shade. Very hardy and soon forms large clumps. By choosing several varieties the blooming period can be pro-

Apricot. 2½ ft. June. Apricot-yellow. Aureole. 2½ ft. June. Deep yellow. flava. Lemon Daylily. 3 ft. June. Clear

yellow. The best-known variety.

Florham. 3 to 4 ft. July. Deep yellow.

Petals of heavy texture.

middendorffi. Amur Daylily. 2 ft. June. Orange-vellow.

thunbergi. Japanese Daylily. 3 to 4 ft. July. Pale yellow, like Flava, but a month later.

heuchera sanguinea. Coralbells. 1½ ft. June to August. Low tuft of leaves from which spring slender stalks with small, bell-shaped, coral-red flowers. Graceful and delicate as cut-flowers. Plant with Aquilegia chrysantha, or Phlox Miss Lingard. 30 cts. each, \$2.50 for 10.

HOSTA plantaginea. White Plantainlily. 2 ft. August, September. Very large, white, lily-shaped, fragrant flowers and massive light green foliage. Will grow in part shade. Suitable to use with shrubs or evergreens. 40 cts. each, \$3.50 per 10.

IBERIS sempervirens. Evergreen Candy-tuft. 6 to 10 in. May. Flat heads of white flowers with evergreen foliage.



Hemerocallis (Day Lily)



Iris Mrs. Horace Darwin and Loreley in our Nursery

Iris

IRIS, or Fleur-de-lis, include many different species, some of which are among our most beautiful hardy plants. Beginning with the dwarf Pumila varieties, which bloom in early May, followed by Cristata, the Intermediate varieties, German Iris, Siberian Iris, and finally the splendid Japanese, there is continuous bloom until July. The German Iris, which supplies a large part of our garden color in May and June, is the best known section. It has a wide range of colors, all shades of white, yellow, maroon, blue, lavender, pink, and purple. It grows easily and is very effective in mass. Hundreds of new varieties have been orginated, from which the following seventy-five have been selected as the best. Included in the list are two varieties, Graylin and Pink Lustre, which originated in this nursery and have been registered by the American Iris Society. Iris can be planted almost any time except when in bloom, but the best time is in

July and August.

In the descriptions "S" refers to the standards or upright petals, and "F" the falls or drooping petals.

All varieties not priced differently are 25 cts. each, \$2 for 10, \$16 per 100

German Iris

Afterglow. Soft gray-lavender, shading to yellow. 75 cts. each.

Albert Victor. Lavender-blue.

Alcazar. S, blue-lavender; F, deep purple, with bronze veining. Tall and striking. 40 cts. each, \$3.50 for 10.

mas. Very large blue-violet flowers. 35 cts. each, \$3 for 10.

Amas.

Ambassadeur. Red-violet; orange beard. Large and handsome. \$1 each.

Archeveque. Deep, velvety violet-purple. Fine dark variety. 50 cts. each, \$4 for 10. Aurea. Rich chrome-yellow, lighter than Sherwin-Wright 35 cts. each, \$3 for 10.

Black Prince. Deep, velvety purple; late. True variety. Handsome, but slow to es-

tablish. \$1.50 each.

Caprice. Red-purple. Distinctive fragrance. 35 cts. each, \$3 for 10.

Chester J. Hunt. Blue. Similar to Massasoit, but smaller and freer blooming.

35 cts. each, \$3 for 10.

Col. Candelot. S, smoky copper; F, crimson. 50 cts. each, \$4 for 10.

Corrida. One of the best varieties for light

blue effect. 50 cts. each, \$4 for 10.

Crepuscule. Deep violet-blue. Similar to
Parc de Neuilly but not so tall. 50 cts. each, \$4 for 10.

Crusader. S, light blue; F, deep violetblue; orange beard. Splendid color and form, but slow to establish itself. 75c. ea. Edouard Michel. Rose-violet. Handsome, but poor grower. 75 cts. each.

Eldorado. S, bronze-violet; F, violet-purple with bronze-yellow. Brighter than Quaker Lady but poorer form. 40c.ea., \$3.50 for 10. Fairy. White, suffused pale blue. 30 cts. each, \$2.50 for 10.

Flavescens. Pale yellow. Good.

Florentina. White, faintly flushed blue. Large; fragrant; early. Good for cutting.

Glory of Reading. S, blue; F, rich purple; splendid orange beard. 40c. ea., \$3.50 for 10.

Graylin. (Gray & Cole.) Very pale blue or mauve, with slightest flush of pink on falls. Similar to Celeste, Aurora, and Mlle. Schwartz. Large blossom of pleasing form. Free bloomer. 24 in. 50 cts. each, \$4 for 10.

GERMAN IRIS, continued

Her Majesty. Rose-pink with darker veining. Clearer pink than Queen of May. 35 cts. each, \$3 for 10.

Innocenza. White with inconspicuous

purple veining; orange beard.

Iris King. S, lemon-yellow; F, rich maroon, bordered yellow. Large and fine. 40 cts.

each, \$3.50 for 10.

Isoline. S, silvery lilac; F, purplish pink, golden throat; orange beard. Beautiful, but not always good grower. 50 cts. each, \$4 for 10.

Jacquesiana. S, coppery crimson; F, rich maroon. Taller than Prosper Laugier, but flowers smaller. 35 cts. each, \$3 for 10.

Kharput. Dark purple. Not quite so dark

nor so early as Kochi.

Kochi. Rich deep purple. Early. Blossoms effectively with Sherwin-Wright. 35 cts. each, \$3 for 10.

La Neige. Cream-white. 50 cts. each, \$4 for 10.

Lent A. Williamson. S, lavender-violet; F, deep purple; yellow beard. Tall and large. Similar to Alcazar, but freer blooming. 75 cts. each.

Lohengrin. Mauve. Large; handsome;

free-blooming. 35 cts. each, \$3 for 10. Lord Grey. Fawn-color; F, tinged pink. Delicate, distinct color.

Lord of June. Lavender-blue. Very large,

fragrant flower. 75 cts. each.

Loreley. S, light yellow; F, violet-purple.
Fine landscape variety. Very free bloom-

ing. 30 cts. each, \$2.50 for 10.

Ma Mie. White, with delicate blue penciling. 40 cts. each, \$3.50 for 10.

Magnifica. S, light violet-blue; F, deep red-

violet. Very large. \$1 each.

Mary Garden. S, light tan, flushed lavender; F, cream-white, dotted and veined maroon. Delicate. 30 c. each, \$2.50 for 10. Massasoit. Venetian blue. Effective color

in mass. 35 cts. each, \$3 for 10.

Medrano. S, reddish copper; F, dark crimson-purple. Distinct. \$1.25 each.

Mlle. Schwartz. Palest mauve. Very large

flowers. \$1.25 each. Mme. Chereau. White, edged blue. Tall.

Delicate and beautiful.

Mme. Chobaut. S, cream, shaded buff and pink; F, white, edged lilac. Delicate. 75 cts. each.

Monsignor. S, violet; F, deep violet-purple. Large flower. Late. 35 cts. each, \$3 for 10. Mother of Pearl. Pale layender, creamy undertone. Similar to Mlle. Schwartz. Large flower of fine form. \$1 each.

Mrs. Alan Gray. Rose-mauve. Early. Similar in color to Lohengrin but a little pinker. 35 cts. each, \$3 for 10.

Mrs. Horace Darwin. White; F, slightly marked violet.

Mrs. Neubronner. Deep golden yellow. Similar to Sherwin-Wright, not quite so early. 35 cts. each, \$3 for 10.

Mt. Penn. S, lavender-rose; F, crimsonlilac; orange beard. Showy. 50 cts. each, \$4 for 10.

Navajo. S, smoky tan; F, deep maroon, heavily veined vellow. Large and distinct. 35 cts. each, \$3 for 10.

Ochracea (Sunset). Artistic combination of dull lavender and yellow. \$1.75 each.

Velvety red-violet. Similar to Seminole. 75 cts. each.

Othello. S, rich blue; F, deep violet.

Pallida Dalmatica. Lavender. flowers. Tall.

Parc de Neuilly. Deep violet-blue. 50 cts. each, \$4 for 10.

Parisiana. White, dotted, shaded, and edged with lilac. 35 cts. each, \$3 for 10.


Perfection. S, light blue; F, dark, velvety violet; orange beard. Handsome. 30 cts. each, \$2.50 for 10.

Pink Lustre. (Gray & Cole.) Pink lighted with yellow at center. Pink shade suggests color of old pink lustre china ware. Whole effect almost pure old rose, with satiny sheen. Flower medium size; good form.

Free bloomer. 30 in. tall. \$4 each. Princess Victoria Louise. S, sulphuryellow; F, rich plum, edged cream. Similar to Loreley but lighter in effect. 30 cts.

each, \$2.50 for 10.

Prosper Laugier. S, light bronze-red; F, velvety ruby-purple. Handsome, 40 cts. each, \$3.50 for 10.



Iris germanica

GERMAN IRIS, continued

Prospero. S, pale lavender; F, deep violet-purple. Very large. \$1 each.

Quaker Lady. S, smoky lavender and yellow; F, blue and old-gold; orange beard. Odd and attractive. 40 cts. each, \$3.50 for 10.

Queen of May. Soft lilac-rose, almost pink. Not so pink as Her Majesty.

Rhein Nixe. S, white; F, deep violet-blue, white edge. Large and fine. 35 cts. each, \$3 for 10.

Rose Unique. Deep rose. Darker than Her Majesty. Early. 35 cts. each, \$3 for 10. Sea Gull. S, white; F, white, shaded and veined blue. Distinct flower, appropriately

named. 50 cts. each, \$4 for 10.

Seminole. S, violet-rose; F, velvety crimson; orange beard. Similar to Opera.

75 cts. each.

Shekinah. Pale yellow; orange beard. A little deeper than Flavescens, and taller. \$1 each.

Sherwin-Wright. Deep golden yellow. Similar to Mrs. Neubronner, but earlier. 30 cts. each, \$2.50 for 10.

Souvenir de Mme. Gaudichau. Deep rich blue-purple. Tall; strong grower. \$1.25 each.

Thorbecke. S, white; F, rich dark violetblue. Not large, but handsome.

Troost. Pink with heavy veining. Large.

75 cts. each.



Iris Kaempferi

Violacea grandiflora. Amethyst-violet. A little darker than Albert Victor. 35 cts.

each, \$3 for 10.

White Knight. Almost pure white; very faint marking, less noticeable than in Mrs. H. Darwin. 50 cts. each, \$4 for 10.

Windham. Lavender-pink; F, heavily veined darker. 40 cts. each, \$3.50 for 10. **Wyomissing.** S, cream-white, suffused soft

rose; F, deep rose, shading to flesh.

Zua. Delicate lavender-white, with edges crinkled like crepe. 75 cts. each.

Dwarf Iris

These varieties of dwarf Iris grow from 4 to 12 inches high and blossom in early May before the German Iris. They are suitable for the rock-garden and for edging borders. Though of small, delicate growth they are quite hardy.

Azurea (pumila caerulea). 4 in. Skyblue. Earliest to blossom. Slow grower. True variety scarce. 50 cts. each, \$4 for 10. The Bride. 1 ft. White. 30 cts. each, \$2.50

Cristata. 4 in. Rich amethyst-blue. Dainty, native, creeping species. A gem for the rock garden. Increases rapidly.

Cyanea. 5 in. Purple. Effective planted with Phlox divaricata.

Glee. 1 ft. Pale yellow. New. Long period of bloom. \$1 each.

Yellow. Ift. One of the older yellow varieties, several of which are similar.

Japanese Iris

Iris Kaempferi or Japanese Iris, bear large, gorgeous flowers in white, blue, lavender, purple, and crimson, with some yellow markings, some having three and some six petals. They grow 3 to 4 feet tall and bloom in July, Though hardy, they are more particular as to location and culture than the German and Siberian Iris. They do best in a rich, moist soil, but the crowns must not be too wet in winter. They should be planted in spring or soon after flowering in July.

Purple-lavender. Three petals. 35 cts. ea.,

\$3 for 10.

White. Three petals. 35 cts. each, \$3 for 10.

Dark Blue-Purple. Six petals. 50 cts. each, \$4 for 10.


White. Six petals. 50 cts. each, \$4 for 10. Mixed Colors. 40 cts. each, \$3.50 for 10.

Iris pseudacorus

Pseudacorus. Yellowflag Iris. 3 to 4 ft. June. Yellow. Will grow in wet soil. Good for naturalizing near pools.

Siberian Iris

Iris orientalis and I. sibirica are closely related species, many garden forms being hybrids. They grow from $2\frac{1}{2}$ to 4 feet high, bloom in June between the German and the Japanese Iris, are very free-flowering, and are good for cutting. With the introduction of



Iris sibirica (Siberian Iris)

SIBERIAN IRIS, continued

several new pale blue varieties, these are becoming popular. Plant in spring or soon after blooming.

Alba. White with faint markings of brown and purple. Small flowers. Charming. 50 cts. each. \$4 for 10.

Blue King. Deep violet-blue, slightly lighter than the type.

Butterfly. Porcelain-blue, slightly lighter than Perry's Blue. Lovely. 75 cts. each.

mperor. Rich deep violet. Very fine. Emperor. Rich deep violet. \$1.50 each.

Orientalis. Deep violet-blue. The common

Perry's Blue. Porcelain-blue. Handsome.

\$1 each. Skylark. Blue. Similar to Perry's. 75c. ea. Snow Queen. White with yellow haft. Sunnybrook. Greyish blue. 75 cts. each. True Blue. Blue. Similar to Perry's, not

quite so good. 50 cts. each, \$4 for 10.

Cattail Gay-LIATRIS pycnostachya. feather. 4 to 5 ft. August. Very showy tall spikes of red-purple flowers. Attracts butterflies. Harmonizes with Phlox Widar, and Buddleia.

LILIUM. Lilv. Many Lilies can be grown in the hardy garden if a little extra care is taken in planting and culture. Two essentials are a well-drained location and a constant mulch around the plant of grass clippings, leaves, leaf-mold, or old manure which keeps the roots moist and cool in summer, protects from cold in winter, and feeds the plant as it rots and leaches down. Make the mulch thicker for winter. Lilies will stand some shade, though not complete shade. Most of these varieties can be planted in fall or early spring. Except Candidum, they should be set from 6 to 10 inches deep.

Varies in color from yellow to red. Native Lily with very graceful, nodding flowers. Good among shrubbery.

Lilium auratum. Goldband Lily. 3 to 5 ft. August. Most magnificent of Lilies, but not very permanent. Large white blossoms spotted purple, with yellow band through each petal. Fragrant. We advise early spring planting. 50 cts. each, \$4 for 10.

candidum. Madonna Lily. 3 to 4 ft. July. Fragrant white flowers, often planted with Delphinium. For those who cannot plant in early fall. we supply potted bulbs for spring. Cover about 3 inches. 40 cts. each, \$3.50 for 10. Potted bulbs, 50 cts. each, \$4 for 10.



Lilium auratum



Lilium hansoni

Lilium hansoni. Hanson Lily. 3 ft. July. Thick, waxy petals, orange-yellow. Plant in fall. 60 cts. each, \$5 for 10.

henryi. Henry Lily. 3 to 4 ft. August. Orange-yellow blossoms in form like the Speciosum. 50 cts. each, \$4 for 10.

regale. Regal Lily. 3 to 5 ft. July. White with yellow at center, flushed pink on outside. Very fragrant and beautiful. This new Lily from China is now being grown widely and can be had at a reasonable price. Flowering bulbs, 50 cts. ea., \$4 for 10. Large bulbs, 75 cts. each, \$6.50 for 10. Mammoth bulbs, \$1 each. Seed, pkt. 50 cts.

speciosum rubrum. 3 ft. August, September. Rosy white, spotted with crimson, petals curving back. 50 cts.

each, \$4 for 10.

American Turkscap Lily. superbum. 3 to 5 ft. August. A hardy native Lily.

Orange with dark spots.

tigrinum splendens. Giant Tiger Lily. 3 to 4 ft. July, August. The old-fash-ioned, very hardy orange-red Lily with dark spots. Easy to grow.

LIMONIUM (Statice) latifolium. Bigleaf Sea-lavender. 11/2 to 2 ft. July, August. Minute purple-blue flowers in mist-like effect similar to Gypsophila. Can be dried for winter bouquets. 30 cts. each, \$2.50 for 10.

LINUM perenne. Perennial Flax. I to 1½ ft. June, July. Pale blue flowers and light graceful foliage. Can be used with mauve-colored Tulips, Cerastium, Aquilegia chrysantha, or Viola Jersey Gem.

LUPINUS, New Hybrids. 3 ft. Mixed colors in shades of blue, pink, and mauve. Effective spikes of pea-shaped blossoms.

LYCHNIS chalcedonica. Maltese Cross. 2 ft. June, July. Old-fashioned favorite with heads of brilliant orange-scarlet flowers.

MERTENSIA virginica. Virginia Bluebells.

I to 1½ ft. May, June. Pale blue flowers fading to pink. One of the loveliest of our native spring flowers. Should be planted in mass.

MYOSOTIS scorpioides semperflorens. Dwarf Perpetual Forget-me-not. 9 in. Blooms all summer. Will grow in damp places and partial shade.

NEPETA mussini. I to 1½ ft. Lavender flowers; gray foliage; low trailing habit. Fine for the edge of the border, and effective with late pink Tulips.

AVER orientale. Oriental Poppy. 2 to 3 ft. June. Orange-scarlet with black center. The most brilliant per-PAPAVER ennial. Potted plants, 30 cts. each, \$2.50 for 10.


-, Mrs. Perry. 2 to 3 ft. June. Lovely salmon-rose flowers. Potted plants, 40 cts. each, \$3.50 for 10.

PLATYCODON grandiflorum. Balloon-flower. 1½ to 2 ft. July, August. Large, cupped, star-shaped flowers, allied to the Campanulas. Two colors:

-, Blue. , White.



Lupinus



Peony Avalanche in our Nursery

Peonies

UR list of Peonies includes about a hundred varieties which, from our experience, O promise to give good results in New England gardens. The list includes flowers of white and all shades of pink and red; double, single, and Japanese types; and early, midseason, and late-blooming varieties. Some varieties, highly rated elsewhere, are omitted here because we have found them in this locality to have faults—irregular or shy in bloom, poor habit of growth, or liability to disease.

Peonies are best planted in September and October. They should be set in a sunny place, in good soil, at least 21/2 feet apart. If the soil is prepared rich and deep they may be left undisturbed ten or fifteen years, otherwise they may deteriorate after four or

five seasons and have to be divided and started again.

The Peonies at the nursery in blooming season in June make a glorious display, and we invite those interested to come to see them and compare the varieties. We have other varieties in addition to those listed here.

The prices quoted are for strong one-year roots, or 3- to 5-eye divisions from older roots. Some of these will bloom the first season but the flowers are not likely to be typical until the second or third year.
In the descriptions "E," "M," and "L" refer to early, midseason, and late.

Adolphe Rousseau. Deep garnet. Very large, semi-double flower. Tall grower. EM. \$1.50 each.

Albert Crousse. Pale salmon-pink. Large, very full bloom. L. \$1 each.

Alexandre Dumas. lexandre Dumas. Bright pink, with creamy white intermixed. M. 65 cts. each. Alexandriana. Pink. Large flower. E. 75 cts. each.

Asa Gray. Pale pink, faintly sprinkled with darker dots. Good bloomer. M. \$1.25 ea.

Augustin D'Hour. Brilliant red. Similar
to Felix Crousse, but more upright. M.

\$1 each.

Aurore. Large, cup-shaped, soft flesh-pink blooms with prominent yellow stamens. M. \$1 each.

Avalanche. Cream-white. Fragrant. Free bloomer and fine cut-flower. L. 75 cts. ea. Baroness Schroeder. Flesh-white turning to cream-white. Fragrant and beautiful. L. \$1.50 each.

Benjamin Franklin. Deep garnet. Tall. Similar to Cherry Hill, but later. M. \$1.25 each.

Boule de Neige. Cream-white, flecked carmine. Cup-shaped. M. 75 cts. each. Charles McKellip. Rich bright red. M.

Cherry Hill. Deep garnet. Tall. Good landscape variety. E. \$5 each.
Chestine Gowdy. Silvery pink with cream-colored collar. Cone-shaped. LM. \$2.50 each.

Claire Dubois. Clear pink. Large. LM. \$1.50 each.

Couronne d'Or. White with golden stamens. Reliable bloomer. LM. 75 cts. ea. De Candolle. Deep violet-pink. Large and

brilliant. M. 75 cts. each.

Dr. Caillot. Bright violet-crimson. Free bloomer. Showy. M. 65 cts. each.

Duc de Wellington. Sulphur-white. L

75 cts. each.



Peony Mme. Calot

PEONIES, continued

Duchesse de Nemours. Sulphur-white, cup-shaped. Free bloomer. Lovely. E. 50 cts. each.

Edulis Superba. Brilliant rose-pink. Free bloomer. Fragrant. Very early. 50 cts. ea. Eugene Bigot. Brilliant deep red. Best of the later reds. LM. \$1.50 each.

Faribault. Brilliant deep pink. Striking color. L. \$2.50 each.

Felix Crousse. Brilliant red. Free bloomer and popular cut-flower. M. \$1 each.

Festiva Maxima. Pure white, tipped with crimson. Very large. One of the finest whites. E. 75 cts. each.

Floral Treasure. Delicate salmon-pink. Charming flower. M. \$1 each.

Frances Willard. Ivory-white. One of the best whites LM. \$2 ocach.

best whites. LM. \$2.50 each.

Gen. Bertrand. Deep pink. M. 75 cts. ea. Gigantea (Lamartine). Delicate pink. Very large. Spicy fragrance. M. \$1.25 ea. Grandiflora. Flesh-pink. Very large. Very late. \$1.50 each.

H. F. Reddick. Brilliant dark crimson with golden stamens. M. \$1 each.

Jeanne d'Arc. Pink and cream. M. 75 cts.

Jubilee. White. Very large flat flower. Very beautiful, but stems weak. M. \$3.50 each.

Karl Rosefield. Deep rich crimson. Best all-round dark red Peony. M. \$1.75

La France. Soft pink. Large. Tall and upright. Slow grower. LM. \$5 each.La Rosiere. Cream-white, semi-double, with

yellow center. Very charming. M. \$1 ea. Lady Alexandra Duff. Immense, cupshaped, blush-pink blooms, fading to white. Strong-growing; free-blooming. Beautiful. M. \$3 each.

Le Cygne. Milk-white, with incurved petals. Distinct and beautiful. Delicate fragrance. Considered the finest Peony. M. \$8 each. Livingstone. Soft rose-pink. Very large and

full. L. \$1 each.

Longfellow. Brilliant crimson. Similar to Karl Rosefield. M. \$4 each.

Lora Dexheimer. Brilliant crimson. Similar to Longfellow, but earlier. \$2.50 each.

Marguerite Gerard. Flesh, fading to cream-white. Free bloomer. LM. \$1 ea. Marie Crousse. Delicate salmon-pink.

Beautiful variety. M. \$3 each.

Marie Jacquin. Water Lily. Flesh-white; cup-shaped; yellow stamens; rich fragrance. M. \$1 each.

Marie Lemoine. Cream-white. Very late. Dwarf-growing plant. \$1 each.

Mary Brand. Brilliant deep red. M. \$2.50 each.

Midnight. Very dark maroon. Large. EM. \$1 each.

Milton Hill. Pale salmon and flesh color.

Exquisite flower. L. \$2.50 each.

Mme. Auguste Dessert. Rose-pink. Free bloomer. Upright. M. \$1.50 each. Mme. Bucquet. Dark crimson. M. \$1.50

each. Mme. Calot. Flesh-white, fading to white. Very large. Sure bloomer. E. \$1 each. Mme. de Galhau. Flesh-pink. Very large.

Superb late variety. \$1 each.

Mme. de Verneville. White, with center

flesh-pink when first open. Fragrant. E. 75 cts. each.

Mme. Ducel. Silvery pink, incurved petals. Free bloomer. E. \$1 each.

Mme. Emile Galle. Pale pink. Delicate and beautiful. L. \$1 each.

Mme. Emile Lemoine. Cream-white, tinged flesh on opening. M. \$1.50 each. Mme. Geissler. Brilliant deep pink. Very large. M. \$1.50 each.

Mme. Jules Dessert. White, with buff and salmon tints. Beautiful. LM. \$3.50 each. Mme. Mechin. Dark crimson. M. \$1 each.

Modele de Perfection. Flesh-pink, deeper in center. Free bloomer. L. \$1 each. Modeste Guerin. Carmine-pink. M.

each. Mons. Dupont. Large, flat, cream-white, with golden stamens. Free bloomer. M.

75 cts. each. Mons. Jules Elie. Pink with silvery tinge. Very large and fine. EM. \$1.50 each.

Mons. Krelage. Deep wine-red. M. \$1 ea. Mons. Martin Cahuzac. Black-maroon. The darkest Peony. Distinct. EM. \$3 ea. Mont Blanc. Milk-white. Very large. M. \$3 each.

Octavie Demay. Blush-pink fading to white. Lovely flower. Plant dwarf. E. \$1.25 each.

Philomele. Pink, with deep yellow center. Striking flower. M. 75 cts. each. Pierre Duchartre. Pink. Very late. \$1.50

each.

Pride of Essex. Deep flesh-pink. M. \$5 ea. Primevere. Cream and sulphur-yellow. Best of the yellow Peonies. M. \$2.75 ea.

PEONIES, continued

Prince of Darkness. Dark maroon, EM. \$1 each.

Richard Carvel. Brilliant red. Similar to Felix Crousse, but earlier. E. \$3.50 each. Rubens. Deep brilliant crimson, showing golden stamens. Only moderately full. M. \$1 each.

Sarah Bernhardt. Soft pink. Large. Strong grower. Regular bloomer. LM.

\$2 each.

Simonne Chevalier. Pink. Strong grower. Free bloomer. E. \$1.50 each.

Solange. Deep cream, tinged with amber and salmon-pink. Distinct. L. \$5 each. Susanne Dessert. Brilliant pink. Large and showy. M. \$1.50 each.

Therese. Soft shell-pink. Very large, loose flower. The finest pale pink Peony. M. \$3.50 each.

Tourangelle. ourangelle. Flesh-white, tinged with salmon. Very delicate. L. \$4 each.

Triomphe de l'Exposition de Lille. Fleshpink minutely dotted. M. \$1 each.

Umbellata rosea. Pink with cream center. Stiff, upright stems. Very early. 75 cts.

Venus. Delicate shell-pink. Lovely when half-open. Good for cutting. M. \$1.25 each.

Walter Faxon. Bright rose-pink with salmon shading. Distinct and lovely color. M. \$5 each.

Single and Japanese Peonies

Alma. Jap. Pale pink with center cushion of yellow petaloids. M. \$3.50 each.

Ama-no-Sode. Jap. Bright rose-pink with heavy center of yellow staminodes. One of the finest varieties. M. \$8 each.

Clairette. White. Very large. Similar to Albiflora. M. \$2.50 each.

Dog Rose. Jap. Rose-pink; center of yellow petaloids. L. \$3 each.

Flashlight. Jap. Pale rose-pink with dull

golden center. Distinct. M. \$3 each.

Isani Gidui. Jap. White, with heavy cushion of yellow staminodes. The finest white Japanese variety. M. \$10 each.

Le Jour. Large white flower with distinctive large, broad petals. M. \$4 each.

L'Etincelante. Brilliant carmine with silvery margin. Very fine. M. \$2 each.

Madeleine Gauthier. Flesh-pink which

fades to white. M. \$2 each.

Mikado. Jap. Bright crimson; petaloids crimson, edged and tipped gold. Effective landscape variety. L. \$1.50 each.

Nellie. Pink with golden stamens. \$2.50 each.

Pride of Langport. Soft peach-pink. M. \$3 each.

Princess Mathilde. Deep pink. M. \$2 ea. **The Moor.** Dark garnet with golden stamens. Rich color. Good landscape variety. M. \$1 each.

Wild Rose. Very pale pink, flecked carmine. Very attractive. M. \$2.50 each.

Yeso. Jap. White with pale yellow petaloids. Graceful, and distinct from other white varieties. M. \$3 each.

Early May-flowering Peonies

Le Printemps. Hybrid. Single. Cream-

yellow with yellow stamens. \$3.50 each.
Northern Glory. Single. Bright crimson.
Distinct woolly foliage. \$2.50 each.
Officinalis mutabilis. Double. Pale pink

fading to white. \$1 50 each.

—rosea plena. Double. Deep rose-pink.


\$1.50 each.

-rubra plena. Rich deep crimson. The

"Piney" of old-time gardens. This and the two preceding are sometimes in bloom on Memorial Day. \$1 each.



Rock Garden from our Perennials



Border of Hardy Phlox

Phlox

PHIS late summer- and fall-blooming perennial is indispensable for mass effects of brilliant color in the garden. No other perennial extends its bloom over a longer period, especially if the old flowers are clipped off so that the plants will continue blooming. Certain varieties can be combined very effectively, like Antonin Mercie and Elizabeth Campbell, Mrs. Jenkins and Rheinlander, Lassburg and Widar, Riverton Jewel and W. C. Egan. Even more effective are combinations of Phlox with other perennials, as suggested in the descriptions below. Care should be taken that Phlox are not allowed to form seed, as the self-sown seedlings often come up in the center of the clumps, eventually choking out the original plants, and the seedlings are often of poor color.

All varieties not priced differently are 25 cts. each, \$2 for 10, \$16 per 100

Late-flowering

Antonin Mercie. Lavender with lighter eye. Use with Veronica longifolia subsessilis. 30 cts. each, \$2.50 for 10.

Australia. Brilliant crimson, A little lighter than B. Comte, and earlier.

B. Comte. Deep red-purple, velvety and rich. Late. Good with Aster Lil Fardell. 35 cts. each, \$3 for 10.

Baron von Dedem. Scarlet-blood-red. 35 cts. each, \$3 for 10.

Blue Hill. Described as violet-blue, but is red-violet in some lights. 30 cts. each, \$2.50 for 10.

Cameron. Pale pink, with white center. 35 cts. each, \$3 for 10.

Commander-in-Chief. Very bright crimson, similar to Debs. 50 cts. each, \$4 for 10. Debs. Very bright crimson. Showy. 50 cts. each, \$4 for 10.

Deutschland (Homeland). Orange-scarlet. 50 cts. each, \$4 for 10.

Dr. Konigshofer. Brightest orange-scarlet. Very brilliant. Good grower, though not so vigorous as the pink and white varieties. 50 cts. each, \$4 for 10.

Elizabeth Campbell. Light salmon-pink.

Very fine. Rather a slow grower. Good with Delphinium belladonna. 35 cts. each, \$3 for 10.

Europa. White, with crimson eye. Jules Sandeau. Bright pink. Large flower. 5 cts. each, \$3 for 10.

La Vague. Pure mauve with red eye. Lassburg. White. Later than Mrs. Jenkins. Louise Abbema. White. Dwarf (about 18 inches).

Lumineux. Soft rose-pink, with white center.

35 cts. each, \$3 for 10.

Miss Lingard. White, with faint lilac eye. The earliest of the tall Phlox. Plant with Delphinium.

Mrs. Charles Dorr. Lavender. flower but large trusses. Tall. Use with Lilium speciosum rubrum.

PHLOX, continued

Mrs. Jenkins. White. The next white to bloom after Miss Lingard.

Mrs. Milly Van Hoboken. Very large flowers of pale mauve-pink. 35 cts. each, \$3 for 10.

Professor Virchow. Bright carmine, tinged orange scarlet. 30 cts. each, \$2.50 for 10.

Rheinlander. Salmon-pink, darker than

Elizabeth Campbell. Early. Large flower and one of the best varieties.

Riverton Jewel. Deep rose-pink with red

eye. Very large trusses. Rather late.

Thor. Deep salmon-pink, slightly darker than Rheinlander. Tall. 35 cts. each, \$3 for 10.

W. C. Egan. Very pale lilac-pink with red eye. Large flowers. Combines well with many perennials-Aster Climax, Liatris pycnostachya, Limonium latifolium. 30c. each, \$2.50 for 10.

Widar. Red-violet with large white center. Effective in mass. Use with Liatris.

Early-flowering

PHLOX amœna. 6 in. May, June. Deep, rich rose-pink. Makes a sheet of color. A little taller and not so spreading as P. subulata.

divaricata canadensis. Canada Phlox. 10 in. May. Lavender. Native plant.

Fine for massing.

-Laphami. An improved form of the preceding a little later in blooming and a little more blue in color. Very attrac-

subulata. Moss Phlox. 4 in. May, June. Low moss-like foliage which forms a carpet and is hidden under masses of bloom. Varieties as follows:

-alba. White.

- -, G. F. Wilson. Mauve. This variety and Lilacina are delightful with Phlox divaricata and late yellow Tulips.
- —lilacina. Lilac.

- -rosea. Bright rose-pink.
 -, Vivid. Bright pink tinged salmon.
 New variety of clearer color than Rosea. Grows in compact clumps. 30 cts. each, \$2.50 for 10.
- POLEMONIUM reptans. Jacob's Ladder. Ift. May, June. Showy blue flowers on a bushy plant.
- POLYGONATUM commutatum. Great Solomonseal. 3 ft. May, June. Sprays of pendant greenish white bell-shaped flowers. Grows in part shade. Good for cutting.

PRIMULA polyanthus, Munstead Giants. Polyanthus Primrose. 9 in. May. Vigorous strain in shades of yellow and

white. 30 cts. each, \$2.50 for 10.

-, Mixed. Shades of red, yellow, and white, raised from Sutton's seed. 30 cts.

each, \$2.50 for 10.

- PYRETHRUM roseum. Painted Ladv. 2 ft. June. Daisy-like flowers in shades from pink to red on long stems. Single. Mixed colors.
 - uliginosum. Giant Daisy. 3 to 4 ft. September. Large, white, daisy-like flowers.
- **SALVIA** azurea grandiflora. *Great Azure* Sage. 3 to 4 ft. August, September. Sky-blue flowers on long spikes.
- SAPONARIA ocymoides. Rock Soapwort. 8 in. June. Creeping plant with rose-pink flowers.
- **SEDUM acre.** Goldmoss. 3 in. June. Bright yellow. Green foliage. Creeping

album. White Stonecrop. 4 in. June.

White flowers. Creeping habit.

dasyphyllum. Leafy Stonecrop. 4 in.

June. Pinkish star-like blossoms and grav bead-like foliage.

hispanicum. Spanish Stonecrop. 3 in. Pinkish white flowers. Gray foliage.

lydium. Lydian Stonecrop. 5 in. Pinkish flowers. Green foliage turning red in fall. Spreading habit.

murale. Foliage similar to S. album.

rupestre minor. 6 in. Yellow flowers. Glaucous foliage becoming tinged purple. Creeping habit.

sarmentosum. Stringy Stonecrop. 4 in. Yellow flowers. Bright green foliage. Creeping habit.

sieboldi. Siebold Stonecrop. 6 in. August, September. Bright pink flowers. Gray foliage. Not as hardy as some.



Primula polyanthus



Trillium grandiflorum

Sedum spectabile. Showy Stonecrop. 1½ ft. September. Light pink flowers. Thick, glaucous leaves.

, Brilliant. $I^{1/2}$ ft. September. Like the above, but with deeper colored

amaranth flowers.

stoloniferum. Running Stonecrop. 6 in. July, August. Pinkish flowers. Flat succulent leaves. Trailing habit.

-coccineum. Scarlet Running Stonecrop. Like the above, but rosy crimson flowers and reddish stems.

MPERVIVUM. Houseleek; Hen and Chickens. 3 in. Fleshy leaves in ro-SEMPERVIVUM. settes. Will grow in dry, hot place. Mixed varieties. 20 cts. each, \$1.50 for 10.

arachnoideum. Spiderweb Houseleek. Leaves in tight rosettes connected by

cobweb-like threads.

SILENE alpestris. Alpine Catchfly. 6 in. May, June. Masses of starry white flowers.

THALICTRUM aquilegifolium purpureum. Purple Columbine Meadowrue. 3 ft. June. Feathery rosy purple flowers. 30 cts. each, \$2.50 for 10.

glaucum. Dusty Meadowrue. 3 to 4 ft.
July. Feathery pale yellow flowers.
Finely cut foliage. Very effective.
30 cts. each, \$2.50 for 10.

THERMOPSIS caroliniana. 3 to 4 ft. June, July. Yellow pea-shaped blossoms on tall stems. Combines well with Delphinium.

THYMUS serpyllum album. White Thyme. 4 in. June, July. Mats of bright green foliage and clouds of white

June, July. Mats of dark green foliage and clouds of crimson flowers.

lanuginosus. Woolly Thyme. 4 in. Mats of soft gray foliage. Few flowers but delightful foliage effect.

TRILLIUM grandiflorum. Snow Trillium. I to $1\frac{1}{2}$ ft. May. Large white flowers. Should be planted in masses, in part shade, in fall. 20 cts. each, \$1.50 for 10.

TROLLIUS europæus. Globeflower. 11/2 ft. May, June. Yellow flowers like large, double buttercups. Grow in part shade. 40 cts. each, \$3.50 for 10.

-, Orange Globe. 1½ ft. June. Like the preceding but color rich orange.

50 cts. each.

TUNICA saxifraga. Saxifrage Tunicflower. 6 in. Slender foliage and profusion of tiny starry pink flowers through summer.

VERONICA incana. Woolly Speedwell. Ift. July, August. Deep blue flowers in pointed spike and handsome silvery foliage.

longifolia, Blue Ridge. 3 ft. August, September. Slender pointed spikes of blue flowers varying in shade. Free blooming. Similar to Spicata. 35 cts. each, \$3 for 10.

-subsessilis. Clump Speedwell. 2 to 3 ft. July, August. Large deep blue flowers and one of the best blue perennials. Use with white Phlox. 35 cts. each, \$3 for 10.

repens. Creeping Speedwell. May. Small pale blue flowers. Grows flat on ground.

Best used in rock-garden.

teucrium rupestris. Rock Speedwell.
4 in. May, June. Spreading mat of deep green foliage with cloud of blue flowers. This variety has been sold under the name "prostrata." -rupestris rosea. Pink Rock Speedwell.

4 in. Similar to the above but with

pinkish flowers.

VIOLA cornuta, Jersey Gem. 6 in. New variety of compact habit with large, deep violet flowers on long stems. Blooms all season. Very fine. Effective with yellow Narcissus. 35 cts. each, \$3 for 10.

YUCCA filamentosa. 4 to 5 ft. July. Tall spike of large, drooping cream-white flowers. Long, narrow sword-like foliage 2 feet high. Can be used effectively with shrubs. 50 cts. each, \$4 for 10.

All Perennials not priced differently are 25 cts. each, \$2 for 10, \$16 per 100

Rock Plants

R OCK-GARDENS are growing in popularity in New England, and with good reason. They harmonize with our rural New England landscape with its outcropping rocks and rambling stone walls. They require little space for development and a secluded corner is available in almost every suburban yard. They form a setting for many of our more frail native plants and other small herbaceous plants of creeping habit which are not suited to the perennial border, but can be grown and best display their beauty against a background of rocks. The green of dwarf evergreens and the varied tones of plant foliage, as well as the colors of flowers, are delightful with the gray surfaces of stones.

A rock-garden should be more than a mere heap of stones with loam thrown over them. The choice of rocks, and the proper placing of them with regard to conserving moisture and forming pockets for plant roots, and with care for natural effect, is an art requiring thought and patience. Much help can be gained by observation of rocks in natural scenery, and by consulting books on rock-gardens, particularly Mrs. Wilder's "Adventures in My Garden and Rock Garden" (1924, \$5) which is the best work yet published in America.

Following are the names of plants and evergreens suitable for small rock-gardens. Descriptions and prices are given in the other sections of the catalogue. Many of the smaller varieties of bulbs, like Muscari and Scilla, which we offer in the fall, are charming

additions to the rock-garden.

Evergreens and Shrubs

Arctostaphylos uva-ursi.
Berberis thunbergi minor.
Buxus sempervirens suffruticosa.
Calluna vulgaris alba elata.
vulgaris nana.
Chamæcyparis obtusa nana.
Daphne cneorum.
Euonymus radicans minimus.
Juniperus sabina tamariscifolia.
Picea canadensis albertiana conica.
excelsa maxwelli.
Taxus canadensis.
cuspidata nana.
Thuja occidentalis, Little Gem.



Phlox subulata

Herbaceous Plants

Alyssum saxatile compactum. saxatile luteum. Aquilegia chrysantha. Arabis alpina. alpina flore-pleno. Arenaria montana. Aubrietia deltoidea Campanula carpatica. rotundifolia. Cerastium tomentosum. Delphinium grandiflorum chinense. Dianthus cæsius. Dicentra formosa. Filipendula ulmaria flore-pleno. Heuchera sanguinea. Iberis sempervirens. Iris (dwarf), The Bride. Azurea (pumila cærulea). Cristata. Yellow. Cyanea. Lilium canadense. Linum perenne. Mertensia virginica. Myosotis scorpioides semperflorens. Nepeta mussini. Phlox amœna. divaricata canadensis. divaricata canadensis laphami. subulata alba. subulata, G. F. Wilson. subulata lilacina. subulata rosea. subulata, Vivid. Polemonium reptans. Primula polyanthus, Mixed. polyanthus, Munstead Giants. Saponaria ocymoides. Sedum acre.

album. dasyphyllum. hispanicum. lydium. murale.

ROCK PLANTS, continued

Sedum rupestre minor.
sarmentosum.
sieboldi.
stoloniferum.
stoloniferum coccineum.
Sempervivum arachnoideum.
Mixed Varieties.
Silene alpestris.
Thymus serpyllum album.

Thymus serpyllum coccineus.
serpyllum lanuginosus.
Trillium grandiflorum.
Tunica saxifraga.
Veronica incana.
repens.
teucrium rupestris.
teucrium rupestris rosea.
Viola cornuta, Jersey Gem.

See Special Collection Offer on back cover

Gladiolus

GLADIOLUS, because of their keeping qualities and wide range of color, are indispensable for cut-flowers. The Primulinus hybrids, though having smaller flowers, are especially graceful in form and artistic in color, lending themselves easily to decora-

tive arrangement.


Gladiolus are easily grown, the bulbs being planted, after early May, about 5 to 6 inches deep, and dug in the fall before hard frost, to be stored in a cool frost-proof place over winter. By making several plantings at intervals of two weeks through May and June, blooms may be had from July until frost. It is better not to use much fertilizer when the bulbs are planted, but to work it in from the top when the plants are about a foot high. Bone-meal and sheep-manure are good for this purpose. When the flower-spikes appear, abundant watering is beneficial.

Gladiolus are best grown 5 inches apart, in beds by themselves, in full sun. They can, however, be used in open spaces in the perennial border where they are most effective if planted in groups of six to twelve bulbs, about 4 to 5 inches apart. The Primulinus varieties are especially good for this purpose as they usually throw more blossom spikes and carry their graceful flowers more upright than the larger flowered varieties.

The bulbs of most varieties increase in number each year.

Strong flowering bulbs, 5 at the 10 rate, 25 at the 100 rate. Add 10 per cent for parcel post

Strong nowering burbs, 5	at ti	ie i	0 12	ite, z	25 a	the 100 rate. Add 10 per cent for parcel post
Baron Hulot. Deep E	ach	I	0	I	00	Mrs. Watt. American Each 10 100
indigo-blue. Small						Beauty shade\$0 08 \$0 70 \$6 00
flower but rich color \$0	12	\$1	00	\$8	50	Myrtle. Rose-pink with
Dawn. (Tracy's.)						cream throat; dainty o8 70 6 00
Coral-pink	07		60	5	00	Niagara. Soft cream-
Diana. Clear scarlet;	-					yellow 07 60 5 00
long spike	15	I	30	ΙI	00	Orange Glory. Orange-
Empressof India. Very			-			scarlet; ruffled 08 70 6 00
dark velvety red. Small						Panama. Rose-pink 07 60
flower but rich color	IO		85			Peace. White with
Europa. Pure white	15	I	30	II	00	touch of lilac in throat;
Evelyn Kirtland. Rose-						tall spike 08 70 6 00
pink; long spike	IO		85	7	00	Pink Wonder. Light
Halley. Rich salmon-			-	-		pink; large flowers 15 I 30 II 00
pink; early bloomer;						Purple Glory. Dark
good for cutting	05		40	3	00	velvety maroon; tall
Le Marechal Foch.						spike; ruffled 25 2 00
Delicate pink; very						Rose Ash. Smoky old-
large flowers	07		60	5	00	rose—pastel color; tall
Loveliness. Cream,						spike; ruffled 15 I 30
tinted apricot; very						Schwaben. Sulphur-
delicate coloring	IO		85	7	00	yellow with garnet
Mary Fennell. Light						blotch in throat 07 60 5 00
lavender, pale yellow						
throat	12	I	00			Primulinus Hybrids
Mrs. Dr. Norton.						
White, tinted pink,			_			Alice Tiplady. Orange-
with yellow blotch	IO		85	7	00	saffron; distinct color. 07 60 5 00
Mrs. Francis King.						Helen Pearl. Pink and
Flame-pink; brilliant.	07		60			cream; very dainty 05 40 3 00
Mrs. Frank Pendleton.						Myra. Salmon and yel-
Rose-pink with red						low; tall, slender stem;
blotch; showy	10		85	7	00	large flowers 06 50 4 00



Evergreens

THE use of evergreens for ornamental planting has increased rapidly the last few years. We now appreciate their value for contrast with deciduous shrubs, for accents and background in the perennial garden, and for cheerful decorative effect in winter. The dwarf and slow-growing varieties are especially useful in small yards and gardens, and for foundation plantings. For the latter especially it is important to distinguish between the dwarf and the tall-growing varieties. While the tall-growing kinds are relatively cheaper and look well for a few seasons, they will soon outgrow their places and become leggy at the base. A few large kinds, however, like the Hemlocks, can be kept in scale by trimming.

Evergreens should be planted in April and May, if possible. While we do not recommend fall planting for small evergreens, it is sometimes possible to plant successfully in late August and early September. Most evergreens thrive best in full sun, though reflected heat close to the south side of a house is too hot. They do fairly well on the east and west sides. The north side of a house is a difficult location though there are a few varieties including Kalmias and Rhododendrons which will grow there if not too wind-swept.

Evergreens are dug with a ball of dirt and tied in burlap. The price given is for a single plant. For the rare and choice varieties, of which we have but few plants, the single rate prevails, even for five or more plants. For other varieties, if five or more plants are bought, the ten rate is slightly less than the single price.

If the single price is from	50 cents to 90	centsthe 10 rate is 5 cents less
If the single price is from	\$1.00 to \$1.50	the 10 rate is 10 cents less
If the single price is from	1.75 to 2.50	the 10 rate is 15 cents less
		the 10 rate is 25 cents less
If the single price is from	4.75 to 6.00	the 10 rate is 35 cents less

The figure given after the name of each variety indicates the height which the tree may be expected to reach when mature.

ABIES concolor. White Fir. 70	it. Py-
ramidal growth. Gray-green	foliage.
Makes a beautiful specimen.	Recom-
mended by Arnold Arboretum.	
2 to 2½ ft	\$4 00
2½ to 3 ft	
3 to 4 ft	
4 to 5 ft	10 00
5 to 6 ft	
6 to 7 ft	
0 40 / 101111111111111111111111111111111	

Abies fraseri.	Fraser F:	ir. 40 ft.	Dark	green
foliage, sir	nilar to	Balsam	Fir.	Useful
quick-grov	ving tree.			


			ft.												
			ft.												
			ft.												
5	to	6	ft.											6	00

ARCTOSTAPHYLOS uva-ursi. Bearberry.
Native low creeping evergreen. 2-yr.,
60 cts.

Self-clinging vine for low walls. Small,

Wintercreeper.

EUONYMUS radicans.



Chamæcyparis plumosa

BUXUS sempervirens suffruticosa. Truedwarf Box. 3 ft. The familiar Box edging. Hardy in slightly protected location. Single plants can be used in rockgarden. 4 to 6 in., 25 cts. each, \$2 for 10; 6 to 8 in., 35 cts. each, \$3 for 10.

CALLUNA vulgaris alba elata. Tall White Heather. 1½ ft. Dark green foliage; white flowers. 6 to 12 in., \$1. —nana. Moss Heather. 6 in. Low moss-

— nana. Moss Heather. 6 in. Low mosslike growth of bright, rich green foliage; pale lavender flowers. 4 to 6 in., 75 cts. each.

15 to 18 in. spread 6 oo
plumosa. Plume Retinospora. 20 ft.
Dense, conical habit; feathery foliage.
I ½ to 2 ft\$2 50
2 to 2½ ft 3 00
2½ to 3 ft 3 75
3 to 4 ft 4 50
—aurea. Golden plume Retinos pora. 20 ft.
Like the preceding but with golden
foliage. 1½ to 2 ft\$2 50
2 to 2½ ft 3 00
2½ to 3 ft 3 75
3 to 4 ft 4 50
APHNE cneorum. Rose Daphne. I ft.
Gray groon foliage: low approading Fra


50 cts. each.	
-colorata. New. The foliage turns d	ark
red in winter. 2 yr., 75 cts. each. minimus (kewensis). Baby Win creeper. Very dwarf variety. Fine rock-garden. 3 in. pots, 50 cts. each. vegetus. Bigleaf Wintercreeper. 5 Bushy growth: large round leaves	
—minimus (kewensis). Baby Win	ter-
creeper. Very dwarf variety. Fine	for
rock-garden. 3 in. pots, 50 cts. each.	
-vegetus. Bigleaf Wintercreeper. 5	ft.
Bushy growth; large, round leaves. Small plants\$0 Medium plants	
Small plants\$0	50
Medium plants	75
Large plants	00
UNIPERUS chinensis pfitzeriana. I zer Juniper. 5 ft. Broad, bushy ha	fit-
zer Juniper. 5 ft. Broad, bushy ha	bit.
Feathery, graceful gray-green toliage.	
TE to 18 in \$2	50
$I^{1/2}$ to 2 ft.	50
2 to 2½ ft 4	50
2 to 2/2 it	00
Correcti Caracut Lucitor TI	£+
1½ to 2 ft. 3 2 to 2½ ft. 4 2½ to 3 ft. 6 -sargenti. Sargent Juniper. 1½ Prostrate habit. Blue-green foliage.	ft.
Frostrate nabit. Blue-green ronage.	
15 to 18 in. spread	00
$1\frac{1}{2}$ to 2 it. spread	00
15 to 18 in. spread	lish
2 to 2½ ft	25
$2\frac{1}{2}$ to 3 ft.	75
2 to 4 ft 2	10
4 to f ft	30
4 to 5 it	, 00
excelsa stricta. Spiny Greek Juni	per.
o it. Broad pyramid. Fonage gr	ay-
green.	
6 to 12 in. \$1 12 to 15 in. 2 15 to 18 in. 2	50
12 to 15 in 2	00
15 to 18 in 2	
	50
1 1/2 to 2 tf	50
1 1/2 to 2 tf	50
1 1/2 to 2 tf	50
1 1/2 to 2 tf	50
1½ to 2 it	50
1½ to 2 it	50 50 50 ate
1½ to 2 it	50 50 50 ate 00 50
1½ to 2 it	50 50 50 ate 00 50 00 50 ing
1½ to 2 it	50 50 50 ate 00 50 00 50 ing
1½ to 2 it	50 50 50 ate 00 50 00 50 ing 25 75
1½ to 2 it	50 50 50 ate 00 50 00 50 ing 25 75 50
1½ to 2 it	50 50 50 ate 00 50 00 50 ing 25 75 50 00
1½ to 2 it	50 50 50 ate 00 50 00 50 ing 25 75 50 00 75
1½ to 2 it	50 50 50 ate 00 50 00 50 ing 25 75 50 00
1½ to 2 it	50 50 50 50 50 60 50 60 50 60 75 75 60 75 75 75 75
1½ to 2 it	50 50 50 50 ate 00 50 00 50 ing 25 75 50 00 75 ft. 50
1½ to 2 it	50 50 50 ate 00 50 00 50 ing 25 75 50 00 75 ft.
1½ to 2 it	50 50 50 ate 00 50 00 50 ing 25 75 50 00 75 ft. 50
1½ to 2 it	50 50 50 50 ate 00 50 00 50 ing 25 75 50 00 75 ft. 50 50
1½ to 2 it	50 50 50 ate 00 50 00 50 ing 25 75 00 75 ft. 50 60 50
1½ to 2 it	50 50 50 50 ate 00 50 00 50 ing 25 75 50 00 75 ft. 50 60 50 60 50 60 60 60 60 60 60 60 60 60 60 60 60 60
1½ to 2½ ft	50 50 50 50 60 50 60 50 60 50 60 50 60 50 60 60 60 60 60 60 60 60 60 60 60 60 60
1½ to 2½ ft	50 50 50 ate 00 50 50 50 50 50 50 50 6t. age 00 00 6w .
1½ to 2½ ft	50 50 50 ate 00 50 50 50 50 50 50 50 50 50 50 50 50

Juniperus virginiana cannarti. Cannart Redcedar. 12 ft. Pyramidal form with dark green foliage. 3 to 4 ft \$4 oo 4 to 5 ft 5 50 5 to 6 ft 7 oo 6 to 7 ft 8 oo 8 oo glauca. Silver Redcedar. I5 ft. Py-
Redcedar. 12 ft. Pyramidal form with
dark green foliage. 3 to 4 ft\$4 oo
4 to 5 ft 5 50
5 to 6 it 7 oo
0 to 7 it
ramidal form with silvery foliage.
2 to 2½ ft\$3 50
2½ to 3 ft
3 to 4 ft
2 to 2½ ft. \$3 50 2½ to 3 ft. 4 50 3 to 4 ft. 6 00 4 to 5 ft. 7 50
KAIMIA latifolia Mountain laurel & ft
Our native broad-leaf evergreen shrub. Lovely pink and white blossoms in June. I to 1½-ft. spread . \$2 00 1½ to 2-ft. spread . 3 00 2 to 2½-ft. spread . 4 00 2½ to 3-ft. spread . 5 00
Lovely pink and white blossoms in June.
I to 1½-ft. spread\$2 00
1½ to 2-ft. spread 3 00
2 to 2½-ft. spread 4 00
$2\frac{1}{2}$ to 3-ft. spread 5 00
PICEA canadensis. White Spruce. 50 ft.
Dense, pyramidal habit. Blue-green
PICEA canadensis. White Spruce. 50 ft. Dense, pyramidal habit. Blue-green foliage. Very hardy. 1 to 1½ ft\$1 25 1½ to 2 ft
I to I½ ft\$1 25
I ½ to 2 ft I 75
2 to 3 ft
2 to 3 ft. 2 50 3 to 4 ft. 3 50
4 to 5 ft
5 to 0 it
Shruce of ft Very dwarf compact
growth and formal conical shape.
0 to 12 in \$2.25
12 to 15 in
15 to 18 in 5 50
9 to 12 in\$3 25 12 to 15 in
21 to 24 in 9 00
2 to 2½ ft12 00
21 to 24 in
Pyramidal habit; steel-blue toliage.
Similar to Picea pungens, but more
nighty recommended by Arnold Arbor-
2 to 2 1/2 ft
2 to 2/2 it
2 to 4 ft
excelsa. Norway Spruce. 80 ft. Pyrami-
dal habit; dark green foliage. Grows
rapidly. Used for large hedges.
Similar to Ficea pungens, but more highly recommended by Arnold Arboretum. 1½ to 2 ft
1 /2 to 2 ft
3 to 4 ft 3 00
4 to 5 ft
-conica. Arrowhead Norway Spruce.
10 It. Dense, pyramidal growth. Semi-
dwarr. 12 to 15 m
15 to 16 III
10 ft. Dense, pyramidal growth. Semi- dwarf. 12 to 15 in. \$2 50 15 to 18 in. 3 25 1½ to 2 ft. 4 25 2 to 2½ ft. 5 50 —maxwelli. Maxwell Spruce. 2 ft.
-maxwelli, Maxwell Spruce. 2 ft.
Low, dense form making a mound of
dark green. Extremely slow-growing.
12 to 15 in. spread\$6 oo
15 to 18 in. spread 7 50
orientalis. Oriental Spruce. 40 ft.
Broad, pyramidal habit. Glossy dark
green toliage. Grows slowly.
2½ to 3 it\$4 50
—maxwelli. Maxwell Spruce. 2 ft. Low, dense form making a mound of dark green. Extremely slow-growing. 12 to 15 in. spread
5 to 6 ft
3 60 0 1010 00 1

Pice	a pungens glauca. Blue Colore	ide
	Spruce. 60 ft. Pyramidal habit. Ste	el
1	blue foliage.	
	I to I½ ft\$3	
	1½ to 2 ft	00
	2 to 2½ ft 5	00
	5 to 6 ft	
	6 to 7 ft	
	7 to 8 ft	
!	kosteri. Koster Blue Spruce. 50	ft
	Imported, grafted variety. The blu	es
1	orm.	
	3 to 4 ft\$14	
	4 to 5 ft	
	5 to 0 1t	OC
	RIS floribunda. Mountain Androme	
	ft. Evergreen shrub with white, be	
	shaped flowers in April and May. Ve	ry.
2	attractive.	
	12 to 15 in. spread\$2	50
	15 to 18 in. spread	25
	$2 \text{ to } 2^{\frac{1}{2}} \text{ ft. spread} \dots \qquad 5$	00
	JS cembra. Swiss Stone Pine. 20	
	Similar to the White Pine but dwarf a	ne
C	compact, with blue-green foliage.	
	1½ to 2 ft\$2	
	2 to 2½ ft	
	2½ to 3 ft	
	3 to 4 ft	O



Picea pungens glauca



Taxus cuspidata nana

Pinus montana mughus. Mugho Pine.
4 ft. Bushy spreading habit. Good for
foundation planting.
12 to 15 in. spread\$2 00
15 to 18 in. spread
$1\frac{1}{2}$ to 2 ft. spread 3 50
2 to 2½ ft. spread 4 50
2½ to 3 ft. spread 6 00
3 to 4 it. spread 8 00
3 to 4 ft. spread
Broad, pyramidal habit. Dwarf form
of the Scotch Pine with blue-green
foliage. Rare. 3 to 4 ft\$10 00
4 to 5 ft
RHODODENDRON carolinianum. Car-
olina Rhododendron. 6 ft. A dwarf
species with clear pink flowers. Blooms
in May and June before R. catawbiense.
I½ to 2 ft. spread
2 to 2½ ft. spread 4 50
catawbiense. Catawba Rhododendron. 9 ft.
Rose-purple flowers in June. Leaves dark
green, shiny. I ½ to 2 ft. spread .\$3 00
2 to 2½ ft. spread 4 00
2½ to 3 ft. spread 5 00
maximum. Rosebay Rhododendron. 12 ft.
Pink-white flowers in July after R
catawbiense. Long, dark green leaves. $1\frac{1}{2}$ to 2 ft. spread\$2 50
2 to 2½ ft. spread
2 to 2/2 it. spread
SCIADOPITYS verticillata. Umbrella-
pine. 20 ft. Narrow, pyramidal habit.
Long, narrow leaves, forming an um-
brella-like circle. Very distinct.
I to I½ ft
1½ to 2 it 0 00
TAXUS canadensis. Canada Yew. 3 ft.
Spreading habit. Dark green foliage.
bronzy in winter, 6 to 12 in, spread, \$2,00
12 to 18 in. spread 3 00
cuspidata capitata. Japanese Yew.
12 to 18 in. spread
15 to 18 in
cuspidata nana. Dwart Japanese Yew.
of the Tours and the state of t
3 it. Irregular spreading habit. Dark
3 it. Irregular spreading habit. Dark green foliage. Slow-growing and hardy.
green foliage. Slow-growing and hardy. 6 to 9 in\$1 75
green foliage. Slow-growing and hardy. 6 to 9 in\$1 75 9 to 12 in
green foliage. Slow-growing and hardy. 6 to 9 in\$1 75

Taxus media hicksi. Hicks Yew. 5 ft.
Columnar form with upright branches.
Taxus media hicksi. Hicks Yew. 5 ft. Columnar form with upright branches. 6 to 12 in. \$1 50 I to I½ ft. 2 25
THILL occidentalis American Arborrita
30 ft. Slender pyramid. Green foliage, turning bronzy in winter. Used for hedges. I to 1½ ft. \$1 00 1½ to 2 ft. 1 50 2 to 2½ ft. 2 00 2½ to 3 ft. 2 75
turning bronzy in winter. Used for
hedges. I to I½ ft\$I 00
I½ to 2 it I 50
2 to 2½ it
27/2 to 3 It
4 to 5 ft
2½ to 3 ft. 275 3 to 4 ft. 375 4 to 5 ft. 500 —douglasi pyramidalis. Douglas Pyramidal Arborvitæ. 15 ft. Narrow columnar form, similar to Pyramidal Arborvitæ, except that foliage is crested. Bronze in winter. 1½ to 2 ft. \$2 00 5 to 6 ft. 650 —globosa. Globe Arborvitæ. 3 ft. Dwarf and naturally globe shaped. 6 to 12 in. spread. \$1 50 12 to 15 in. spread. 2 00 15 to.18 in. spread. 2 50 —, Little Gem. 2 ft. Very dwarf form, broader than high.
amidal Arborvitæ. 15 ft. Narrow col-
umnar form, similar to Pyramidal Ar-
borvitæ, except that foliage is crested.
Bronze in winter. 1½ to 2 ft\$2 00
5 to 6 ft 6 50
—globosa. Globe Arborvitæ. 3 ft. Dwarf
and naturally globe shaped.
6 to 12 in. spread
12 to 15 in. spread
Little Com a ft Very dwarf form
broader than high
6 to 12 in spread \$1.75
12 to 15 in. spread
—pyramidalis. Pyramidal Arborvitæ.
15 ft. Narrow, columnar habit with
bright green color retained through
winter. I ¹ / ₂ to 2 ft\$2 00
2 to 2½ ft 2 50
2½ to 3 ft 3 00
3 to 3½ it 3 75
3½ to 4 it
4 to 5 tt
Broad pyramidal habit Valloy-green
foliage bronze in winter, 2 to 2 1/2 ft \$2.25
2½ to 3 ft 3 00
-, Little Gem. 2 ft. Very dwarf form, broader than high. 6 to 12 in. spread. \$1 75 12 to 15 in. spread. 2 50 -pyramidalis. Pyramidal Arborvitæ. 15 ft. Narrow, columnar habit with bright green color retained through winter. 1½ to 2 ft. \$2 00 2 to 2½ ft. 2 50 2½ to 3 ft. 3 00 3 to 3½ ft. 3 75 3½ to 4 ft. 4 50 4 to 5 ft. 5 50 -vervæneana. Vervæne Arborvitæ. 10 ft. Broad, pyramidal habit. Yellow-green foliage, bronze in winter. 2 to 2½ ft. \$2 00 2½ to 3 ft. 300 -wareana. Ware Arborvitæ. 12 ft. Broad, pyramidal habit. Deep green foliage. One of the hardiest Arborvitæs. 2 to 2½ ft. \$3 50
Broad, pyramidal habit. Deep green
foliage. One of the hardiest Arborvitæs.
2 to 2½ ft. \$3 50 2½ to 3 ft. 4 50 3 to 3½ ft. 5 50 3½ to 4 ft. 6 50 —woodwardi. Woodward Arborvitæ. 3 ft.
2½ to 3 it 4 50
3 to 3½ it 5 50
Woodward Aubawita 2 ft
A globe-shaped variety.
6 to 12 in spread \$1.50
6 to 12 in. spread\$1 50 12 to 15 in. spread 2 00
TSUGA canadensis. Canada Hemlock.
75 ft One of the most graceful and
75 ft. One of the most graceful and beautiful of our native evergreens. Though large-growing can be kept in small scale by trimming. I to 1½ft.\$I 50
Though large-growing can be kept in
small scale by trimming. I to I 1/2ft. \$1 50
1½ to 2 ft 2 25
2 to 2½ ft 3 00
2½ to 3 ft 3 75
3 to 4 it
garoliniana Carolina Hamlosh on ft
Smaller more compact and darker green
than Tsuga canadensis Highly recom-
mended by Arnold Arboretum.
2½ to 3 ft\$4 00
3 to 4 ft 5 00
4 to 5 ft 7 50
small scale by trimming. I to $1\frac{1}{2}$ ft. \$1 50 $1\frac{1}{2}$ to 2 ft. 2 25 2 to $2\frac{1}{2}$ ft. 3 00 $2\frac{1}{2}$ to 3 ft. 3 75 3 to 4 ft. 4 75 4 to 5 ft. 6 00 caroliniana. Carolina Hemlock. 30 ft. Smaller, more compact, and darker green than Tsuga canadensis. Highly recommended by Arnold Arboretum. $2\frac{1}{2}$ to 3 ft. \$4 00 3 to 4 ft. 5 00 4 to 5 ft. 7 50 5 to 6 ft. 10 00

Flowering Shrubs and Trees

NO HOME planting is complete without some flowering shrubs and a few of the smaller flowering trees. We offer a list of the best varieties, especially those suitable for smaller yards and gardens and for planting as backgrounds for perennial borders. Most of these varieties can be planted either in spring or fall, a few of the less vigorous succeeding better if planted in spring.

succeeding better it planted in spring.	
ACANTHOPANAX pentaphyllum. Five-	C
leaf Aralia. Attractive foliage. Grows	
in part shade. Each 10	
2 to 3 ft\$0 50 \$4 50	
3 to 4 ft	
4 to 5 ft 75 6 50	
ACER palmatum. Green Japanese Maple.	
Small slow-growing tree. Turns beauti-	
ful color in fall.	
3 to 4 ft\$3 50	
4 to 5 ft 4 50	
4 to 5 ft 4 50 —atropurpureum. Bloodleaf Japanese	
Maple. Red foliage, especially brilliant	
in spring.	
1½ to 2 ft\$2 50	C
2 to 2½ ft 3 50	
AZALEA calendulacea. Flame Azalea.	
Flowers pale yellow to orange in June.	
I to I½ ft\$1 50 \$14 00 I½ to 2 ft 2 00 18 50	1
1½ to 2 ft 2 00 18 50	C
nudiflora. Pinxterbloom. Pink flowers in	C
May. Native.	
I to 1½ ft\$1 25 \$11 50	
1½ to 2 ft 1 75 16 00 vaseyi. Pinkshell Azalea. Delicate pink	D
vaseyi. Pinkshell Azalea. Delicate pink	_
flowers in May before the foliage.	
I to I ¹ / ₂ ft\$2 00	
I½ to 2 ft	
viscosa. Swamp Azalea. Very fragrant white flowers in July.	
I to 1½ ft\$1 50	-
1½ to 2 ft	E
BERBERIS thunbergi. Japanese Barberry.	
The popular hedge plant. 1 to 1½ ft.\$18 per 100\$0 30 \$2 50	
I to 1½ ft.\$18 per 100\$0 30 \$2 50 1½ to 2 ft.\$25 per 100 40 3 50	6
2 to 2½ ft	
1½ to 2 ft.\$25 per 100 40 3 50 2 to 2½ ft	
suitable for edging in gardens.	
I to I ¹ / ₂ ft.\$25 per 100\$0 40 \$3 50	S.
1½ to 2 ft.\$35 per 100 50 4 50	- 6
1½ to 2 ft.\$35 per 100 50 4 50 vulgaris purpurea. Purple Barberry. Purple foliage.	
Purple foliage.	2
1½ to 2 ft\$0 50 \$4 50	
BUDDLEIA davidi magnifica. Oxeye	
Butterflybush. Violet-mauve flowers in	
long spikes in July and August. Can be	
Butterflybush. Violet-mauve flowers in long spikes in July and August. Can be planted with taller perennials. Not	1
quite hardy in this climate but worth	4
replacing.	
3-in. pots\$0 40 \$3 50	
CLETHRA alnifolia. Summersweet. Very	
fragrant white flowers in July and	
August.	
2 to 3 ft\$0 60 \$5 50	

CORNUS alba sibirica. Coral De	gwood.
Bright red bark. Good for winter	effect.
Each	10
2 to 3 ft\$0 60	\$5 50
3 to 4 ft	6 50
3 to 4 ft	Small
tree with large white flowers in sp	ring.
2 to 3 ft\$0 85	\$8 00
3 to 4 ft I 25	II 50
4 to 5 ft T 75	_
—rubra. Red-flowering Dogwood.	Deep
pink flowers. Rather scarce.	
2 to 2½ ft\$2 50	
$2\frac{1}{2}$ to 3 ft	
3 to 4 ft 4 00	
COTONEASTER horizontalis. Retoneaster. Low and spreading. Re	ck Co-
toneaster. Low and spreading. Re	d fruit.
1½ to 2 ft. spread \$1.00	\$0.00
1½ to 2 ft. spread\$1 oo wilsoni. Wilson Cotoneaster. Very	similar
to C. horizontalis.	
I_{2}^{1} to 2 ft. spread \$1 00	\$0.00
CYDONIA japonica. Flowering	
Showy pink to red flowers in May 1 to 1½ ft\$0 65	\$5 50
1½ to 2 ft 75	6 50
DEUTZIA lemoinei. Lemoine L)eutzia
White flowers in June.	
1 to 1 ½ ft\$0 50	\$4.50
scabra, Pride of Rochester.	Double
white flowers tinged pink, in June	
4 to 5 ft\$0 65	\$5 50
5 to 6 ft	7 50
ELÆAGNUS longipes. Cherry Eld	eaanus Paanus
Silvery leaves; yellow flowers in	May:
red fruit.	. 1.1200 ,
1½ to 2 ft\$0 60	\$5.50
1/2 00 2 10	* J J O




Deutzia lemoinei

ENKIANTHUS campanulatus. Redvein Enkianthus. Small, pale orange, bell- shaped flowers in May. Each 10 1½ to 2 ft	Ligustrum ibota. <i>Ibota Privet</i> . More spreading than Amur Privet. Also good for hedges. 1½ to 2 ft.\$20 per 100 . \$5 35 \$3 00
2 to 3 ft	2 to 3 ft\$25 per 100 40 3 50 3 to 4 ft\$30 per 100 50 4 50 MAGNOLIA stellata. Star Magnolia. Small, bushy tree. Large white flowers
FORSYTHIA intermedia. Border Forsythia. Yellow flowers in April before the leaves. 2 to 3 ft	before the leaves. 3 to 4 ft
—spectabilis. Showy Border Forsylhia. New variety. Considered the finest. 1½ to 2 ft	MALUS atrosanguinea. Carmine Crab. Small tree with brilliant carmine flowers. 3 to 4 ft\$1 50 floribunda. Japanese Flowering Crab. Pink buds, white flowers, and small
HYDRANGEA arborescens grandiflora. Snowhill Hydrangea. Large, flat heads of white flowers in July. 1½ to 2 it	yellow fruit. 3 to 4 ft
-grandiflora. Peegee Hydrangea. Large showy white panicles turning reddish. 1½ to 2 ft	4 to 5 ft
3 to 4 ft	scheideckeri. Scheidecker Crab. Double, rose-pink flowers. 2 to 3 ft. SI 25 PHILADELPHUS Avalanche. Hybrid
1½ to 2 ft.\$17 per 100\$0 30 \$2 50 2 to 3 ft\$20 per 100 35 3 00	Mockorange. Graceful, arching habit. White flowers.




Hydrangea paniculata grandiflora



Spiræa vanhouttei

Philadelphus coronarius. Sweet Mock-
orange The old variety with fragrant
white flowers. Each 10 3 to 4 ft \$0 60 \$5 50 —aureus. Golden Mockorange. Dwarf,
3 to 4 ft\$0 60 \$5 50
-aureus. Golden Mockorange. Dwarf,
compact form with yellow leaves.
I to I ½ ft\$0 60 \$5 50 —speciosissimus. Roundleaf Mockorange.
Similar to P. Coronarius.
2 to 4 ft \$0 60 \$5 50
3 to 4 ft\$0 60 \$5 50 Virginal. Hybrid Mockorange. Fragrant,
semi-double white flowers. Beautiful.
semi-double white flowers. Beautiful. 2 to 3 ft\$1 oo \$9 oo
3 to 4 ft I 25 II 50
PRUNUS glandulosa trichostyla sinen-
sis. Double Pinkflowering Almond.
Small old-fashioned shrub with double
pink flowers in May. 2 to 3 ft
2 to 4 ft
3 to 4 ft I 25 II 50 —glabra albiplena. Double Whiteflower-
ing Almond. White flowers in May.
2 to 3 ft\$1 oo \$9 oo
3 to 4 ft I 25 II 50
RHODOTYPOS kerrioides. Jetbead; White
Kerria. White flowers in June and shiny
black berries. 1½ to 2 ft.\$0 50 \$4 50
2 to 3 ft
SPIRÆA bumalda, Anthony Waterer.
Anthony Waterer Spirea. Low shrub
with crimson flowers June to August.
I to 1½ ft\$0 50 \$4 50
thunbergi Thunberg Spireg Feathery
1½ to 2 ft
I 1/2 to 2 ft\$0 50 \$4 50
1½ to 2 ft
small white flowers in May and June.
1½ to 2 ft\$0 35 \$3 00
1½ to 2 ft\$0 35 \$3 00
1½ to 2 ft \$0 35 \$3 00 2 to 3 ft 50 4 50 3 to 4 ft 65 5 50
1½ to 2 ft
1½ to 2 ft
1½ to 2 ft

Symphoricarpos vulgaris.	Core	alberry.
Small red berries held until	late '	winter.
E	ach	10
3 to 4 it	65	\$5 50
4 to 5 ft	80	7 00
Purple flowers. Blooms after	run r th	Lilac.
mon varieties. 3 to 4 ft\$0	. 00	\$8 00
4 to 5 ft I	25	#0 00
4 to 5 ft I persica. Persian Lilac. Slende	er bra	inches,
fine foliage, and lilac flowers.		
2 to 3 ftso vulgaris. Common Purple Lile	80	\$7 00
vulgaris. Common Purple Lile	1c. 1	Blooms
about Memorial Day.	70	\$6.00
2 to 3 ft\$0	85	7 50
3 to 4 ft	03	7 50
2 to 3 ft\$0	70	\$6 00
2 to 3 ft\$0 3 to 4 ft	85	7 50
—Hybrid Named Varieties.	In ac	ldition
to the following five name	d va	rieties,
we have several other name	ed va	irieties
in a few sizes. Most of our pl their own roots.	ants	are on
- Charles X Red-numble S	ingle	
4 to 5 ft	00	•
-, Ludwig Spaeth. Dark	red-r	ourple.
Single. $1\frac{1}{2}$ to 2 ft\$1	00	\$9 00
4 to 5 ft	r. `	White.
Double.		
1½ to 2 ft\$1	00	\$9 00
2 to 3 ft	75 Joubl	e
5 to 6 ft\$4	00	
6 to 7 ft 5	00	
6 to 7 ft	Violet	t-pink.
Double.		
1½ to 2 ft\$1	00	\$9 00
VACCINIUM corymbosum. Blueberry. Well-known nat	HI	ghoush
lovely in flower, fruit, an	d b	rilliant
autumn foliage.		
I to I½ ft\$o	7.5	\$7 00
I ½ to 2 ft I	00	9 50
2 to 3 It I	50	14 00
3 to 4 ft 2	00	



Weigela rosea

VIBURNUM acerifolium. Mapleleaf Vi-
burnum. Black fruit. Will grow in part
shade. Each 10
I_{2}^{1} to 2 ft\$0 60 \$5 50
2 to 3 ft
americanum. American Cranberrybush.
Edible scarlet berries lasting all winter.
I_{2}^{1} to 2 ft\$0 60 \$5 50
2 to 3 ft
dentatum. Arrowwood. Blue-black fruit.
White flowers in June.
2 to 3 ft\$0 65 \$5 50
3 to 4 ft 85 7 50
tomentosum. Doublefile Viburnum. Flat
heads of white flowers. June.
1½ to 2 ft\$0 60 \$5 50
2 to 3 ft 75 6 50

Tosea
Viburnum tomentosum plicatum. Japanese Snowball. White flowers in
balls. June. Showy. Each 10
1½ to 2 ft\$0 75 \$6 50
2 to 2½ ft I 00 9 00
WEIGELA, Eva Rathke. Dark red flowers
in July and August.
I to 1½ ft\$0 60 \$5 50
$1\frac{1}{2}$ to 2 ft
nana variegata. Dwarf Variegated Wei-
gela. Variegated foliage. Pink flowers.
I to I½ ft\$0 60 \$5 50
$1\frac{1}{2}$ to 2 ft
rosea. Pink Weigela. Showy pink flowers
in June.
1½ to 2 ft\$0 45 \$4 00
2 to 3 ft 60 5 50

Vines and Climbers

ACTINIDIA			
Strong clii	mber with	dark gre	en, shining
foliage.			ich 10
Large, 5	5-yr	\$1	50
AKEBIA quir			oia. Grace-

AKEBIA quinata. Fiveleaf Akebia. Graceful climber with small foliage and violetbrown flowers. 4-yr.....\$1 00

AMPELOPSIS tricuspidata. Japanese Creeper; Boston Ivy. Clings to brick and stone. 2-yr......\$0 75 \$6 50

CLEMATIS paniculata. Sweet Autumn
Clematis. Masses of fragrant flowers in
September. 2-yr.......\$0 50 \$4 50
3-yr..........75 6 50


EUONYMUS. See Evergreens.

—**halliana.** *Hall Japanese Honeysuckte.* Fragrant white flowers turning yellow. 2-yr. \$0 50 \$4 50 3-yr. 75 6 50

ROSES, CLIMBING. See Roses.

VINCA minor. Common Periwinkle. Evergreen trailing plant. Lilac-blue flowers. Strong plants........\$0 25 \$2 00

WISTERIA sinensis. Chinese Wisteria.
Strong climber with violet-blue flowers.
4-yr...........\$1 25



Roses

IN CHOOSING varieties of Roses for the home-garden, the beginner should be advised that the Hybrid Tea Roses, though more beautiful in form and color and blooming over a longer period, are not quite so hardy as the other Roses in the list and require more careful planting, cultivation, and winter protection. Even with protection there is likely to be some loss from winter-killing in this climate, yet experienced gardeners, realizing this, believe that the greater returns in quality and quantity of bloom from Hybrid Teas overbalance the slight risk, and are willing to replace the few losses each season. The Hybrid Perpetuals are much hardier, but seldom blossom after June.

Most of the Hybrid Roses are budded or grafted and should be planted deep enough so that the point of union is about 2 inches below the surface of the ground. After settled cold weather (about Thanksgiving) Roses should be protected by hilling dirt up 8 to 10 inches high around the plant and then covering with leaves, straw, manure,

or evergreen boughs.

Hybrid Perpetual Roses

Strong 2-yr. plants, \$1 each

Baroness Rothschild. Pale pink. Fisher Holmes. Scarlet-crimson. An improved Gen. Jacqueminot. Frau Karl Druschki. White.

Blooms longer than the other Hybrid Perpetuals.

George Arends. Pink. George Dickson. Dark red.

Mrs. John Laing. Pink. Very free-flower-

Hybrid Tea Roses

Strong 2-yr. plants, \$1 each, except those priced differently

Duchess of Wellington. Saffron-yellow. Edel. White. Eldorado. Golden yellow.
Etoile de France. Crimson.
Frank W. Dunlop. Deep rose-pink.
Gruss an Teplitz. Velvety crimson-scarlet.

Very hardy and free-blooming.

Very nardy and free-blooming.

Lady Ursula. Flesh-pink.

Los Angeles. Salmon-pink shaded yellow.

Mme. Edouard Herriot. Coral-red.

Mme. Jules Bouche. White, tinged blush.

Mrs. Henry Morse. Pink, with yellow glow.

Mrs. William C. Egan. Outside of petals pink, inside deep flesh.

Radiance. Brilliant pink. Red Radiance. Cerise-red.

Rose Marie. Rose-pink. Souvenir de Claudius Pernet. Clear, rich yellow. \$1.25 each.

Climbing Roses

Strong 2-yr. plants, 75 cts. each, \$6.50 for 10; 3-yr., \$1 each, except those priced differently

American Pillar. Single; deep pink with white center.

Climbing American Beauty. Deep pink. Crimson Rambler. Deep crimson. Dr. Huey. Dark crimson-maroon. 2-yr., \$1 each.

Dr. W. Van Fleet. Flesh-pink. Dorothy Perkins. Soft shell-pink.

Excelsa. Scarlet. Mary Wallace.

Semi-double; rose-pink. 2-yr., \$1 each; 3-yr., \$1.50. Paul's Scarlet Climber. Clear scarlet.

Star of Persia. Large; bright yellow; semidouble. 2-yr., \$1.50 each. Tausendschon. Large; soft pink.

White Dorothy. White.

Baby Rambler Roses

Compact, bushy plants which grow about 2 to 3 feet high, producing large trusses of small flowers throughout the season.

All varieties not priced differently, for strong 2-yr. plants, 85 cts. each, \$7.50 for 10. Gruss an Aachen. Flesh-pink shaded yellow. Mrs. W. H. Cutbush. Rose-pink.

Orleans. Brilliant light red, white center. 2-yr., 85 cts. each, \$7.50 for 10; 3-yr., \$1 each, \$9 for 10.

Various Roses

F. J. Grootendorst. Hybrid Rugosa. Shrubby plant with Rugosa foliage and crimson blossoms in clusters throughout the season. Good for hedges. 2-yr., 85 cts. each, \$7.50 for 10; 3-yr., \$1.25 each, \$10 for 10.

Austrian Copper. Single flowers of copperred, reverse of petals yellow. Slow to establish. 3-yr., \$1 each.

Harison's Yellow. Shrubby Rose with semi-double yellow flowers. Handsome and hardy. 2-yr., 85 cts. each, \$7.50 for 10; 4-yr., \$1.50 each.

Hugonis. Shrubby Rose with large, single, light yellow flowers in profusion very early. Makes striking display in bloom. 2-yr., \$1.25 each.

Persian Yellow. Shrubby Rose with small, deep yellow, double flowers. Hardy oldfashioned plant, blooming after Harison's Yellow. 2-yr., 85 cts. each, \$7.50 for 10; 4-yr., \$1.50 each.

Spinosissima. Scotch Rose. Shrubby Rose with single cream-white blossoms. 2-yr., 75 cts. each, \$6.50 for 10.

Cut-Flowers

DURING the blooming season we sell cut-flowers at wholesale and retail, at prices varying with the market. Blooms usually retail at from 50 cts. to \$1 a dozen. This offers an opportunity to obtain fresh-cut garden flowers for indoor decoration, for the

sick room, for the cemetery, or for gifts or greetings.

For Memorial Day, Iris are always in bloom, and sometimes Bleedinghearts, Peonies, Lilacs, and Vanhoutte Spirea. In June, Peonies are in great demand. Gladiolus blossom from July to October and are very satisfactory because of their keeping qualities. The Primulinus varieties are especially beautiful in color and graceful in form. In July, the beautiful and fragrant Regal Lilies are in bloom, which are especially appreciated by florists. Many people like mixed bouquets of old-fashioned flowers arranged with misty sprays of Babysbreath or Sea-lavender. Charming combinations of perennial flowers can be made throughout the season as there is something in blossom in the nursery all the time.

Fruit Trees

HOUGH our business is confined mainly to ornamental plants, for the convenience of customers we offer a selected list of fruit trees and grapevines, the best varieties for New England home-gardens.

Apples

2-yr., 11/16-in. caliper, 5 to 7 ft., \$1 each, \$9 for 10; 3-yr., \$1.50 each

Red Astrachan. Summer. Gravenstein. Fall. McIntosh. Fall. Delicious. Winter. Baldwin. Winter. Northern Spy. Winter. Roxbury Russet. Winter.

Pears

2-yr., 11/16-in. caliper, 5 to 7 ft., \$1.35 each, \$12.50 for 10; 3-yr., \$1.75 ea., except as noted

Bartlett. Summer. 2- and 3-yr. Seckel. Fall. 2-yr. Sheldon. Fall. 2- and 3-yr. Beurre Bosc. Late fall. 2-yr., \$1.50 each; 3-yr., \$2 each; 4-yr., \$2.50 each.

Beurre d'Anjou. Winter. 2- and 3-yr.

Lawrence. Winter. 2-yr., small, \$1 each.

Peaches

1-yr., 9/16-in. caliper, 4 to 6 ft., 60 cts. each, \$5 for 10; 2-yr., 75 cts. each

Carman. White flesh. Early. 2-yr. Rochester. Yellow flesh. Early. 1- and

Champion. White flesh. Midseason. 2-yr. Elberta. Yellow flesh. Midseason. 2-yr. J. H. Hale. Yellow flesh. Midseason. 1and 2-vr.

Grapes

3-yr., 75 cts. each, \$6.50 for 10

Caco. New. Cross between Catawba and Concord. Wine-red. 1-yr., 75 cts. each.

Concord. Purple-black. 3-yr. Delaware. Red. 3-yr. Hubbard. Purple-black. 3-yr.

Niagara. Green-white. 3-yr. Worden. Purple-black. 4-yr., 85 cts. each.

Fertilizers

PLANTS of all kinds need food. Too many gardens fail to produce the best results because they are not sufficiently or properly fertilized. Herbaceous perennials are big feeders. Not only must liberal quantities of fertilizer be mixed deep with the soil when the garden is planted, but it must be applied afterward as a top dressing several times through each season. We use the following fertilizers in our nursery and recommend them for home-gardens. For the ordinary perennial planting we advise either Victory Fertilizer or sheep-manure, and bone-meal applied alternately a few weeks apart from April until August. The lawn will be benefited by an application of each in the spring. If the lawn is made on light soil and dries out, humus will be beneficial because it retains moisture.

Pulverized Sheep-Manure Wizard Brand

Sheep-Manure is the best substitute for horse- and cow-manure which are now increasingly difficult to get. It is an excellent all-round fertilizer for top-dressing lawns and gardens because it is finely pulverized and works readily into the soil. It is also free from weed seeds. We consider the Wizard Brand the best on the market.

Less than 25 lbs. at 6	
25 lbs\$1 25	¼ton\$14 50
	½ton 28 00
100 lbs 3 00	I ton 54 00

Bone-Meal

Excellent for the perennial border and especially for the few plants, like Iris, which do not need much manure, also for bulbs in the fall.

Less than 25 lbs.	at 6	cts. per lb.	
		100 lbs\$3	50
50 lbs 2	25		

Land Lime

Lime is used to correct acid soil, to transform plant-foods in the soil so that they will be available to plants, and to improve the physical condition of the soil. Certain plants such as bearded Iris and Clematis paniculata are especially benefited by lime. It should not be applied near Rhododendrons and other plants of the Heath family which need acid soil. 50-lb. bags, 60 cts.

Humus

Humus is a natural product, not a chemical fertilizer. It is peat dug from deep bogs, finely ground and dried. It is valuable for the organic matter, ammonia, and potash that it contains, and especially for its capacity to hold moisture, making it excellent to use on light soils. Rhododendrons, Kalmias, Azaleas, Blueberries, and Lilies like a peaty soil.

Less than 25 lbs. at	5 cts. per lb.
	¼ton\$8 50
	½ton14 50
100 lbs 2 00	I ton24 00


Victory Fertilizer

This high-grade fertilizer is made of Humus with concentrated chemical elements added in the proportion of 4–8–4, viz: Ammonia 4 per cent, Phosphoric Acid 8 per cent, Potash 4 per cent. It has all the value of a first-class prepared fertilizer (which is usually made with sand as a "base") plus the added advantage of the Humus which makes up its bulk, thus making it all available as plant food. This is a general fertilizer for all-round purposes, for flowers, vegetables, and lawn. Though less bulky than Sheep-Manure, it contains a higher per cent of plant food elements. It is clean to handle and practically odorless.

Less than 25 lbs.	at 7 cts. per lb.
	50 100 lbs\$4 00
50 lbs 2 :	25

Peat Moss

A dried, partly decayed, fibrous moss imported from Germany. This contains little or no plant food and is not used as a fertilizer but to improve the physical condition of soils. It benefits light dry soil by absorbing and holding moisture; and it improves heavy soil by breaking up the stiff particles, aerating it, and making it suitable for root penetration. It is especially good for mulching both in summer and for winter protection. Being slightly acid in reaction it is the ideal mulch for ericaceous plants and Lilies. If used around other plants the slight acidity can be corrected by occasional use of lime. The neat appearance of Peat Moss on the ground makes it very desirable for mulching Rose beds. Bale (about 180 lbs.) \$4.25.



A ROCK-GARDEN will fit into some corner of your property. Masses of green or silver foliage and sheets of bright flowers tumbling softly over ragged gray rocks, and dainty plants poking up through narrow crevices. An informal, typically American, and most fascinating form of gardening.

WE OFFER COLLECTIONS OF ROCK PLANTS

25 plants, in about 12 varieties, \$5.00

50 plants, in about 25 varieties, \$9.00

GRAY & COLE, Ward Hill, Massachusetts